Curriculum Vitae

Kate A. Corbett

Education

Bachelor of Science Degree, CHEMISTRY May 2003

MERRIMACK COLLEGE

Coursework included: Organic Chemistry, Inorganic Chemistry, Quantitative Analysis, Instrumental Analysis, Physical Chemistry, Physics, Calculus

Employment

Chemist II Massachusetts State Police (July 2012-Present)

Drug Analysis Laboratory

- Responsible for the identification of substance and trafficking substances to determine violation of the Massachusetts drug laws
- Responsible for the identification of pharmaceuticals to determine violation of the Massachusetts drug laws
- Operate analytical instrumentation for the purpose of performing forensic drug analysis

Chemist II, I State Laboratory Institute (September 2005-June 2012) Massachusetts Department of Public Health

Drug Analysis Laboratory

- Responsible for the identification of substance and pharmaceuticals to determine violation of the Massachusetts drug laws
- Operate analytical instrumentation for the purpose of performing forensic drug analysis
- Successfully completed an eight week training course in the analysis of drugs conducted by senior staff of the Department of Public Health, Drug Analysis Laboratory
- Appointed an assistant analyst for the Department of Public Health, Drug Analysis Laboratory in 2005.

Research Associate (September 2003 – August 2005)

SENSOR TECHNOLOGIES, INC - Shrewsbury, MA

- Prepared chemistries used in making sensor beads
- Generated and examined sensors employing fluorescence spectroscopy
- Performed protein, dye and sugar assays using UV/VIS spectrophotometry
- > Carried out titrations on ricin using fluorescence correlation spectroscopy
- Statistical analysis of experimental data

Intern (March 2003 – August 2003)

MASSACHUSETTS STATE POLICE CRIME LABORATORY - Sudbury, MA

- Assisted in the gathering of case files to fulfill the National Institute of Justice's No Suspect Backlog Reduction Grant
- Observed in the Evidence, Criminalistics, DNA, Drug, Trace, Toxicology, and Bomb/Arson Units